EHS=106-Rev. 11/05

INSPECTION REPORT **FOOD SERVICE ESTABLISHMENTS**

STATE OF CONNECTICUT DEPARTMENT OF PUBLIC HEALTH

ROUTINE INSPECTION ☐ PREOPERATIONAL

□ OTHER

| | | | 410 Capitol Aveilde, Mon11 | DI , (la la ola, O 1 00 1 |
|--------------------------|--------|-----------|----------------------------|----------------------------|
| NAME OF ESTABLISHMENT | Jettie | Tisdale | Elementary | School |
| STREET ADDRESS | 250 | Hollister | Ave. | |
| OWNER or OPERATOR | Laura | Rodrigu | ez Endor | a QFO |

22

23

ESTABLISHMENT CLASS TOWN INSPECTION DATE and TIME

Based on an inspection this day, the items marked below identify the violations in operation or facilities which must be corrected by the date specified below. **EQUIPMENT & UTENSILS: CLEANLINESS**

Preflushed, scraped, soaked and racked

Wash water clean, proper temperature Accurate thermometers provided, dish basket, if used

Sanitization rinse (hot water - chemical)

Food-contact surfaces of utensils &

Clean wiping cloths

equipment clean

| SO | URCES OF FOOD | |
|----------------------|--|-----|
| 1 | Approved source, wholesome, nonadulterated | 4 |
| 2 | Original container, properly labeled | 1 |
| FO | OD PROTECTION | |
| 3 | Potentially hazardous food meets temperature requirements during storage, preparation, display, service, and transportation | 4 |
| (4) | Adequate facilities to maintain product | (2 |
| 5 | temperature, thermometers provided Potentially hazardous food properly thawed | 2 |
| 6 | Unwrapped or potentially hazardous food not re-served | 4 |
| 7 | Food protected during storage, preparation, display, service & transportation Food containers stored off floor | 2 |
| 9 | Handling of food minimized | 2 |
| 10 | Food dispensing utensits properly stored | 1 |
| 11 | Toxic items properly stored, labeled, used | 4 |
| PE 12 | RSONNEL Personnel with infection restricted | 4 |
| CL | EANLINESS OF PERSONNEL | |
| 13 | Handwashing facilities provided, personnel hands washed, clean | 4 |
| 14 | Clean outer clothes, effective hair restraints | 1 |
| 15 | Good hygienic practices, smoking restricted | 2 |
| 10 | | |
| EQ CO | UIPMENT & UTENSILS: DESIGN, NSTRUCTION & INSTALLATION | T 2 |
| EQ CO | NSTRUCTION & INSTALLATION Food-contact surfaces designed, constructed, maintained, installed, located | 2 |
| EQ CO | NSTRUCTION & INSTALLATION Food-contact surfaces designed, constructed, maintained, installed, located Nonfood-contact surfaces designed, constructed, maintained, installed, located | 2 |
| EQ CO 16 17 | NSTRUCTION & INSTALLATION Food-contact surfaces designed, constructed, maintained, installed, located Nonfood-contact surfaces designed, constructed, maintained, installed, located Single service articles, storage, dispensing | |
| EQ CO 16 | NSTRUCTION & INSTALLATION Food-contact surfaces designed, constructed, maintained, installed, located Nonfood-contact surfaces designed, constructed, maintained, installed, located | 1 |

| | preparation, display, service, and | | | | The state of the s | |
|---|--|-----|---|-------|--|-----|
| | transportation | | | 27 | Nonfood-contact surfaces of utensils & equipment clean | 1 |
| | Adequate facilities to maintain product temperature, thermometers provided | (2) | | 28 | Equipment/utensils, storage, handling | 1 |
| | Potentially hazardous food properly thawed | 2 | 1 | | | |
| | Unwrapped or potentially hazardous food not re-served | 4 | 1 | - | ATER SUPPLY | 1 2 |
| | / | | | 29 | Water source adequate, safe | 4 |
| | Food protected during storage, preparation, display, service & transportation | 2 | | 30 | Hot and cold water under pressure, provided as required | 2 |
| | Food containers stored off floor | 7 | | SE | WAGE DISPOSAL | |
| | Handling of food minimized | 2 | 1 | March | Sewage disposal approved | 4 |
| | Food dispensing utensits properly stored | 1 | 1 | 32 | Proper disposal of waste water | 1 |
| - | Toxic items properly stored, labeled, used | 4 | | | | |
| | | | 1 | PL | UMBING | |
| ı | RSONNEL | | | 33 | Location, installation, maintenance | 1 |
| | Personnel with infection restricted | 4 | 1 | 34 | No cross connection, back siphonage, backflow | 4 |
| - | EANLINESS OF PERSONNEL | , | | - | ILET FACILITIES | |
| | Handwashing facilities provided, personnel hands washed, clean | 4 | | 35 | Adequate, convenient, accessible, designed, installed | 4 |
| | Clean outer clothes, effective hair restraints | 1 | | 36 | Toilet rooms enclosed with self-closing door | 1 |
| | Good hygienic practices, smoking restricted | 2 | | 37 | Proper fixtures provided, good repair, clean | - 1 |
| | UIPMENT & UTENSILS: DESIGN, | | | | NDWASHING FACILITIES | |
| | NSTRUCTION & INSTALLATION | | | 38 | Suitable hand cleaner and sanitary towels or | 1 |
| | Food-contact surfaces designed, constructed, maintained, installed, located | 2 | | | approved hand drying devices provided, tissue waste receptacles provided | , |
| | Nonfood-contact surfaces designed, constructed, maintained, installed, located | 1 | | GA | RBAGE/RUBBISH STORAGE & DISPOS | SAL |
| | Single service articles, storage, dispensing | 2 | | 39 | Approved containers, adequate number, | 1 |
| | No reuse of single service article | 14 | | | covered, rodent proof, clean | |
| | Dishwashing facilities approved design, adequately constructed, maintained, installed, located | 2 | | 40 | Storage area/rooms, enclosures – properly constructed, clean | 1 |
| | | | | 41 | Garbage disposed of in an approved manner, at approved frequency | |
| | DEMERIT SCORE | | | | VA - 2 | |
| | | | | | | |

| - | RMIN CONTROL | |
|----|---|-----|
| 42 | Presence of insects/rodents | 2 |
| 43 | Outer openings protected against entrance of insects/rodents | 1 |
| FL | OORS, WALLS & CEILINGS | |
| 44 | Floors: floor covering installed, | Т |
| | constructed as required, good repair, clean | ı |
| 45 | Floors, graded, drained as required | ١, |
| 46 | Floor, wall juncture covered | 1 |
| 47 | Mats removable, good repair, clean | |
| 48 | Exterior walking, driving surfaces, good repair, clean | 1 |
| 49 | Walls, ceilings attached, equipment properly | 1 |
| | constructed, good repair, clean. Wall & ceiling surfaces as required. | |
| 50 | Dustless cleaning methods used | 1 |
| | cleaning equipment properly stored | |
| | NITING & VENTUATION | |
| 51 | SHTING & VENTILATION | 1 4 |
| 52 | Adequate lighting provided as required Room free of steam, smoke odors | 1 |
| 53 | Room & equipment hoods, ducts, vented as required | 1 |
| DD | ESSING ROOMS & LOCKERS | |
| 54 | Rooms adequate, clean, adequate lockers | 1 |
| | provided, facilities clean | |
| но | USEKEEPING | _ |
| 55 | Establishment and premises free of litter, no | 1 |
| 56 | insect/rodent harborage, no unnecessary articles Complete separation from living/sleeping quarters | 1 |
| Ju | and laundry | ' |
| 57 | Clean/soiled linens stored properly | 1 |
| 58 | No live birds, turtles, or other animals | 1 |
| | (except guide dogs) | L |
| - | OKING PROHIBITED | |
| 59 | Smoking prohibited, signs posted at each entrance | 3 |
| QU | ALIFIED FOOD OPERATOR | |
| 60 | Qualified Food Operator | 3 |
| | | 0 |
| 61 | Designated alternate Written documentation of training program | 2 |

| DEMERIT SCORE | | | | | | |
|---------------|-------|-------|------|--|--|--|
| 4 - /- | 3 -/- | 2 1/2 | 1-/- | | | |
| | | | | | | |

| TOTAL | RATING | Date Corrections Due |
|-------|--------|----------------------|
| 2 | 78 | 03/09/13 |

| Signature of Person in | charge | 11 | 111 | | |
|------------------------|----------|---------|------|----|--|
| | · Xauia | Kac. | Kuld | UC | |
| SIGNED (Inspector) | 1. N 1-1 | 0 () | | | |
| 160 | and the | (·) · | | | |

RISK FACTOR VIOLATIONS IN RED